


SPECIFICATION FOR PROVISION OF A RISER/RECLINER CHAIR

CLIENT DETAILS

Client Name	OT Present	
Address	Others Present	
Telephone No	Assessment Date	

CLIENT MEASUREMENTS	
Height	
Weight	
Hip Width (A)	
Back Of Knee To Back Of Hip (B)	
Back Of Knee To Floor (C)	
Seat To Top Of Head (D)	
Trunk (E)	



Other Considerations

Space for chair in room	Space to recline chair	Power Socket Identified	
			I

ITEM SPECIFIED

PRODUCT	Pressure Care	Postural Care	Page	Tick
Blithfield Standard Riser Recliner Chair	X	X	2	
Sandon Bespoke Riser Recliner Chair	X	✓	3	
Dovecliff Pressure Care Riser Recliner Chair	✓	✓	4	
Shugborough Nursing Care Riser Recliner Chair	✓	✓	5	
Wolseley Non-Ambulant Nursing Chair	✓	✓	6	
Swinfen Non-Ambulant Nursing Chair	✓	✓	7	

Revision Dec 2020 1 | Page



SPECIFICATION FOR PROVISION OF A STANDARD RISER/RECLINER CHAIR

THE BLITHFIELD RANGE

Where there are no complications with regards to postural support, pressure care or other functions required on the chair a standard riser/recliner chair can be offered in the following specification and



- Single Motor Tilt In Space
- Waterfall Back (None Adjustable)
- Scroll Arms
- Pocket Sprung Seat
- Right Hand Control & Side Pocket
- 3 Set Sizes
- Choice of 4 Fabric Colours Please select
- Seat Heights stated are uncompressed heights

Size	Seat Height (Uncompressed)	Seat Width	Seat Depth	Back Height	Weight Limit	Select
Small	16"	18"	20"	26"	15 Stone	
Medium	18"	20"	20"	26"	20 Stone	
Large	21"	20"	22"	29"	20 Stone	

Colour Choice – Please Indicate by ticking below the colour chosen										
Beige Red Green Brown										

Revision Dec 2020



SPECIFICATION FOR PROVISION OF A BESPOKE RISER/RECLINER CHAIR

THE SANDON RANGE







• ALL HAVE FOAM SEATING AS STANDARD

CHAIR FEATURES REQUIRED					
Single Motor Tilt In Space	Scroll Arms				
Dual Motor Standard	Knuckle Arms Dark Wood	Knuckle Arms Light Wood			
Dual Motor Tilt In Space	Right Hand Controls				
Bariatric (Limited Options)	Left Hand Controls				
Waterfall Back (Adjustable)	Anti Entrapment				
Comfort Lateral Back– (See Note 2)	Pocket Sprung Seating				

DIMENSIONS OF CHAIR REQUIRED							
Seat Height – (See N							
Seat Width – (See N	lote 2)						
Seat Depth							
Backrest Height	27"	29" (STD) 32" 35"					

Colour Choice – Please Indicate by ticking below the colour chosen									
Neutral Beige Red Blue Green Brown Black									

Revision Dec 2020



SPECIFICATION FOR PROVISION OF A PRESSURE CARE RISER/RECLINER CHAIR

THE DOVECLIFF RANGE



• ALL HAVE PRESSURE RELIEVING FABRIC ON BACK, SEAT AND LEGRESTS AS STANDARD *

CHAIR FEATURES REQUIRED					
Single Motor Tilt In Space		Scroll Arms			
Dual Motor Standard		Knuckle Arms Dark Wood Knuckle Arms Light Wood			
Dual Motor Tilt In Space		Right Hand Controls			
Bariatric (Limited Options)		Left Hand Controls			
Waterfall Back (Adjustable)		Anti Entrapment			
Comfort Lateral Back– (See Note 2)		Headrest			

PRESSURE RELIEF REQUIRE	MENTS	
PRESSURE RELIEF FABRIC	*	NOTES
Back	✓	
Seat	✓	
Legrests	✓	
Cushion		

DIMENSIONS OF CHAIR REQUIRED							
Seat Height – (See	Note 1)						
Seat Width – (See	Note 2)						
Seat Depth							
Backrest Height	27"	29" (STD)	32"	35"			

Revision Dec 2020 4 | Page



SPECIFICATION FOR PROVISION OF A NURSING CARE RISER/RECLINER CHAIR

THE SHUGBOROUGH RANGE



• ALL HAVE PRESSURE RELIEVING FABRIC ON BACK, SEAT AND LEGRESTS AS STANDARD *

CHAIR FEATURES REQUIRED			
Dual Motor Tilt In Space	√	Large Profile Headrest	
Waterfall Back (Adjustable)		Push Handle	✓
Comfort Lateral Back – (See Note 2)		Large Castors For Portering	✓

PRESSURE RELIEF REQUIREMENTS				
PRESSURE RELIEF FABRIC	*			
Back	✓			
Seat	✓			
Legrests	✓			
Cushion				

SELECTED CHAIR SIZE								
Size	Seat Height (Uncompressed)	Seat Width	Seat Depth	Weight Limit	Select			
Small	19"	18.5"	20"	20 Stone				
Medium	19"	20"	20"	20 Stone				

Revision Dec 2020 5 | Page



SPECIFICATION FOR PROVISION OF AN NON-AMBULANT NURSING CHAIR

THE WOLSELEY RANGE





• ALL HAVE PRESSURE RELIEVING FABRIC ON BACK, SEAT AND LEGRESTS AS STANDARD *

CHAIR FEATURES REQUIRED							
Waterfall Back (Adjustable)		Manual Recline and Tilt In Space	✓				
Comfort Lateral Back – (See Note 2)		Push Handle	✓				
Large Profile Headrest		Large Castors For Portering	√				
PRESSURE RELIEF REQUIREMENTS							
PRESSURE RELIEF FABRIC *	•	NOTES					
Back	✓						
Seat	✓						
Legrests	✓						
Cushion							

SELECTED CHAIR SIZE								
Size	Seat Height (Uncompressed)	Seat Width	Seat Depth	Weight Limit	Select			
Small	23"	17" & 21"	16" – 22"	25 Stone				
Medium	23"	19" & 21"	16" – 22"	25 Stone				

Revision Dec 2020 6 | Page



SPECIFICATION FOR PROVISION OF AN NON-AMBULANT NURSING CHAIR

THE SWINFEN RANGE


























- ALL HAVE PRESSURE RELIEVING FABRIC ON BACK, SEAT AND LEGRESTS AS STANDARD *
- AVAILABLE IN MANUAL & ELECTRIC MODELS **

CHAIR FEATURES REQUIRED								
Waterfall Back (Adjustable)	aterfall Back (Adjustable)			Rear Push Handles				
Comfort Lateral Back (See Note 2)	Comfort Lateral Back (See Note 2)		D-Ring Push Handles					
Large Profile Headrest	eadrest			Large Castors For Portering				
Recline & Tilt In Space Option **	Manual		Electric					
PRESSURE RELIEF REQUIREMENTS								
PRESSURE RELIEF FABRIC	NOTES							
Back	ck 🗸							
Seat	✓							
Legrests	✓							
Cushion								

SELECTED CHAIR SIZE									
Size	Seat Height (Uncompressed)	Seat Width	Seat Depth			Weight Limit	Select		
Small	25"	18"	16"		18"		20"	20 - 25 Stone	
Medium	25"	20"	16"		18"		20"	20 - 25 Stone	
Large	25"	22"	16"		18"		20"	20 - 25 Stone	

7 | Page Revision Dec 2020



ADDITIONAL NOTES FOR CONSIDERATION FOR RISE RECLINE CHAIRS

- 1 Please note that the SEAT HEIGHTS stated for Riser Recliner Chairs are **UNCOMPRESSED DIMENSIONS**
 - Please take this into consideration when stating seat height required
- 2 **COMFORT LATERAL BACK** When choosing the Comfort Lateral Back option, add 2" to the seat width to allow for the extra space for the lateral cushions to be positioned at the side of the hips

FOR ANY CLARIFICATION REQUIRED PLEASE CONTACT MIDSHIRES ON 01889 582332 OR 07984 480845

Revision Dec 2020 8 | Page