Quantum®

32 Wedgwood Road, Bicester,

Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070

Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk





Dealer April 2021 (V1.0)















| Edge 3 Stretto with TB Flex Seating | | | |
|-------------------------------------|-------------|--|--|
| Dealer Name: | Order Date: | | |
| Address: | | | |
| | Post Code: | | |
| Phone | Email: | | |
| PO No: | Order Ref: | | |
| Delivery Address: | | | |
| | Post Code: | | |
| Quantum Specialist: | | | |

- **Standard Features**
- 17 Colour Options
- Max User Weight: 21 st 6lbs. (136 kg)
- 2 x 40ah batteries
- NE+ Control System

- 2" x 5" Front Castors, Flat Free
- 2" x 6" Rear Castors, Flat Free
- SRS Suspension
- 12.5" Flat Free Drive Tyres
- Height Adjustable Removable Armrests
- 70° Swing-Away Legrests
- Angle Adjustable Flip Forward Backrest
- 4 Mph (6 Km/h) Motors

☐ Military Green*

☐ Electric Blue*

☐ White Satin*

Standard = Standard Factory Feature | FOC = Select instead of Standard Factory Feature

Base Model

Edge 3 Stretto with TB Flex Seating - £5,140.00

Drive Wheels Standard □ 2" x 12.5" " Flat Free, Black Tyres FOC ☐ 2" x 12.5" Pneumatic, Black Tyres £50.00 ☐ 3" x 14" Flat Free, Black Tyres £50.00 ☐ 3" x 14" Pneumatic, Black Tyres

Castor Wheels

Standard 2" x 5" Flat Free, Black Front Tyres

Standard 2" x 6" Flat Free, Black, Rear Tyres

Colours



^{*} This colour choice may increase lead time - Please check with Q-rep before ordering Matching back shroud and joystick shroud included where applicable.

□ Lemon Crush* □ Evolution Orange* □ Cherry Bomb* □ Deep Purple

| Seat Dimensions | | | | | | | |
|--|-----------------------------------|-------------------------|----------------------|--------------------------|-------------------------------------|-------------------|---|
| Seat Width | | | | Seat Depth | | | |
| □ 15" | □ 16" | □ 17" | □ 18" | 1 5" | □ 16" | □ 17'' | □ 18" |
| □ 19" | 2 0" | | | 1 9" | 20" | | |
| Please note that seat cu full size range. | ushions may not be a | available in all width | and depth combir | ations. Please refer | to our Stealth Cushion Ord | der Forms for alt | ernative models and |
| | | | Seat C | ushions | | | |
| Please refer to our Ste | ealth Cushion Ord | er form for availab | ole sizes and ente | er your preferred | size hereW x . | D | |
| □ No Seat Cushion Required | | | | | | | FOC |
| ☐ Stealth Simplicit | iy G: General use, F | luid resistant Stealth- | Tek cover - 25 ston | e weight limit | | | Standard |
| ☐ Stealth TRU-Comfort 2 SPP: Skin protection, positioning, 4-way stretch Coolcore cover - 32 stone weight limit | | | | | | | £70.00 |
| ☐ Stealth Glacial | SP: Skin protection, | 4-way stretch, Cool | core cover - 79.3kg | to 181.4kg weight l | imit | | £100.00 |
| Stealth Solution | ® SPP: Skin protection | on, positioning, 4-wa | y stretch, Coolcore | e cover and urethan | ne liner - 25 stone weight li | imit | £100.00 |
| ☐ Stealth Essence | [®] SPP: Skin protection | on, positioning, 4-wa | y stretch and Cool | core cover - 35 ston | e 7lbs weight limit | | £120.00 |
| ☐ Stealth Spectru | m® Gel SPP: Skin p | orotection, positionin | ıg, 4-way stretch, C | Coolcore cover and | urethane liner - 25 stone v | weight limit | £170.00 |
| ☐ Stealth Spectrum | 1 [®] Foam SPP: Skin p | rotection, positioning | g, 4-way stretch, Co | polcore cover and u | urethane liner - 42 stone w | veight limit | £170.00 |
| ☐ Stealth Premiere | e P: Positioning, 4-w | ay stretch, Coolcore | cover - 158.7kg w | eight limit | | | £120.00 |
| ☐ Stealth Zen SP: sk | in Protection, 4-way | stretch, Coolcore co | over - 79.3 to 181.4 | kg weight limit | | | £60.00 |
| | | Seat | Positionir | ng <i>A</i> djustm | nents | | |
| ☐ Manual Tilt 0° to |) 30° Tool adjustable | e with a telescopic to | ube | | | ; | Standard |
| ☐ TB-Flex® Power T | Γilt 0° to 30° Full Dr | ive Lock at 20" wher | n combined with Po | ower Recline. Uses 1 | power option | ; | £300.00 |
| Seat to Floor Heigh | nt | | | | | | |
| □ 16.5" | | 1 7.5" | | | 1 8.25" | | |
| | | | Backres | t Options | | | |
| ☐ Tension Adjusta | able Backrest Air- | mesh cover Range (| | • | rd | | Standard |
| ☐ TRU-Comfort 2 I | | _ | • | | | | £170.00 |
| ☐ ADI Backrest ski | | | | 24.0 10 20 110111 30 | arboara | | POA |
| | | | | | | | - £25.00 |
| Omit Backrest Supplied with back canes and brace bar only - £25.00 Backrest Positioning Adjustments | | | | | | | |
| | / FI' - F | | | ning Hajus | tments | | Standard |
| □ Manual Settable / Flip Forward Range of adjustments 95° to 125° □ Attendant Controlled Manual Recline Range of adjustments 95° to 125°. Not suitable for occupied transportation. | | | | | | £150.00 | |
| _ | | | | 25°. Not suitable for | occupied transportation. | | £200.00 |
| Powered Recline Range of adjustments 95° to 125°. Uses 1 power option. | | | | | | | |
| | Jala A | O. dala Dala area | | | | 9 | Standard |
| ☐ TB Flex Removable Armrest with Quick Release Range of adjustments 9" to 14" | | | | | | | £85.00 |
| ☐ TB Flex Removable Armrest with Armrest Lever Range of adjustments 9" to 14" | | | | | | | |
| 2-Post Flip Up Removable Armrest Range of adjustments 9" to 13" \$280.00 Armpads | | | | | | 2200.00 | |
| □10" Standa | rd | ☐ 14" Star | ndard | ☐ 10" We Only availab | aterfall ole with 2-post flip up | | Waterfall ilable with 2-post flip up |
| Non-Expandable Controls | | | | | | | |
| ■ NE + Controls 2 p | power option ready | | | | | | Standard |
| □ VR2 Controls 2 p | ower option ready | | | | | I | FOC |

| Expandable Controls | | | | | |
|--|-----------------------|---|--------------------|--|--|
| Q-Logic 3 Controls 2 power option ready | | | £350.00 | | |
| Q-Logic 3 Controls 5 power option ready | £550.00 | | | | |
| R-Net Controls 2 power option ready | £350.00 | | | | |
| R-Net Controls 5 power option ready | | | £550.00 | | |
| Q-Logic 3 Enhanced Display Includes x2 egg switches | and flexible displa | y mount. Does not include Q-Logic 3 joystick. | £1,074.00 | | |
| R-Net Omni 2 Display Includes x2 egg switches and displ | lay mount. Does no | ot include R-Net joystick. | £1,074.00 | | |
| SCIM Module Kit Allows Q-Logic 3 joystick display to be us | sed for speciality co | ontrols. | £316.00 | | |
| □iAccess OLED 4 Button Switch Module Mounted to opposite armrest unless specified | | | £300.00 | | |
| Push Button iAccess Module or D Toggle Lever iAccess Module | | | | | |
| | | | | | |
| Joys | stick Mour | nting Options | | | |
| Fixed | | | Standard | | |
| □Retract 4 Swing-away Joystick Arm Kit (Full 180° Mo | vement) | | £150.00 | | |
| □Swing-Away | | | £75.00 | | |
| □ Dual Control | | | £430.00 | | |
| ☐Attendant Control Only | | | £100.00 | | |
| Mounting Position | | | | | |
| □ Left or □ Right | | | | | |
| | Logr | racte | | | |
| Legrests 70° Swing-away Legrests Range of adjustments 12" to 15" from seat pan to heel Standard | | | | | |
| 70° Swing-away Legrests Range of adjustments 12" to | £340.00 | | | | |
| Manually Adjustable Centre Mount Foot Platford | | | | | |
| Quantum 60° to 90° Adjustable Swing-away Legrests | | | | | |
| ☐ Manual Elevating Swing-Away Legrests Range of adjustments 15" to 20" from seat pan to heel ☐ Powered Elevating Swing-Away Legrests Range of adjustments 15" to 20" from seat pan to heel. Uses 2 power options | | | £250.00 £650.00 | | |
| Prowered Elevaling Swing-Away Legiesis Range of | r aajustments 15° to | o zu" from seat pan to neel. Uses z power options | £650.00 | | |
| | Head | rests | | | |
| ☐ Stealth 10" Comfort Plus CP250 | | | £140.00 | | |
| Stealth 14" Comfort Plus CP150 | | | £140.00 | | |
| ☐ Stealth 14" Adjustable Comfort Plus ACP150 | | | £250.00 | | |
| Please visit www.stealthproducts.com for more headrest options | | | | | |
| Lateral and Trunk Supports | | | | | |
| Stealth Swing Away Thoracic Lateral Supports | | | | | |
| Left Lateral Package | | Right Lateral Package | | | |
| ☐ Lateral Thoracic Thin Hardware with Mount | £150.00 | ☐ Lateral Thoracic Thin Hardware with Mount | £150.00 | | |
| Left Lateral Pads Choose one option only | | Right Lateral Pads Choose one option only | | | |
| 3" H x 5" L Curved Lateral Pad | £35.00 | ☐ 3" H x 5" L Curved Lateral Pad | £35.00 | | |
| 4" H x 6" L Curved Lateral Pad | £35.00 | ☐ 4" H x 6" L Curved Lateral Pad | £35.00 | | |
| Pelvic Supports | | | | | |
| | Pelvic 3 | иррог съ | Cham I and | | |
| Auto Buckle Lap Belt, Push Button Release | Standard | | | | |
| i-Fit Pelvic Belts Supplied un-installed | 070.00 | | | | |
| Padded Offers a large padded surface area | | | £70.00 | | |
| | | | | | |

| Pelvic Supports Continued | | | | | | |
|--|--------------------------------------|-----------------------------|-----------------------|---|------------------------|--|
| Non-Padded Narrowed section for smaller support surfaces. Not available with 4-point | | | | | £65.00 | |
| Size | | | | | | |
| Extra Small Not available with non-p | | □Medium | □ Large | Extra Large | non-padded or 4-point. | |
| Attachment Method | | Release Mechani | sm | , | paaada e pe | |
| 2-Point | 4-Point Single pull only | ☐ Push Button | ☐ Side Release | Э | | |
| Adjustment | | | | | | |
| ☐ Single Pull | □ Dual Pull | | | | | |
| | Speed F | Program and | Lights Packa | age | | |
| 4 Mph program. Lights | and indicators not included | | | | Standard | |
| ☐4 Mph program with I | | | | | £450.00 | |
| ☐ 6 Mph program with | Lights and indicators | | | | £450.00 | |
| Lights and Indicator Surcharge If no power options have been selected, you must rick this box in addition to the lights and indicator package to recieve the correct lighting module | | | | | £260.00 | |
| LED Fender Lights Includes single switch button for operation, mounted to side rail. Not road legal. Does not include indicators | | | | | Standard | |
| Omit LED Fender Ligh | nts | | | | FOC | |
| Accessories | | | | | | |
| Swing-Away Tray Table | e Supplied with relevant joystick of | cut-out, or no cut out if a | ttendant control only | | £350.00 | |
| | | | | | | |
| Price | | | | | | |
| | | | | - | £5,140.00 | |
| | | | | Options: | | |
| | | | | Total: | | |
| | | | | | | |

Notes

- All measurements given are approximate.

- By faxing or mailing this order you accept all responsibility for the configuration ordered. Errors made in filling out this order, may result in further charges or delays. If this order has a deadline you must advise us ASAP. We will try to deliver for this date, but cannot accept liability if we are unable to fulfil this order by your deadline.
- Information relating to crash testing is correct at time of printing.

 Pride Mobility constantly reviews and updates this information, if you require further information about crash testing, please contact your Quantum Specialist